

**Supplemental  
Notice of Allowability**

Application No.	Applicant(s)	
10/688,904	KIRK ET AL.	
Examiner	Art Unit	
Nathan A. Bowers	1797	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 02 November 2007.
2.  The allowed claim(s) is/are 1-5, 7-9 and 17-19.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other See Continuation Sheet.

Continuation of Attachment(s) 9. Other: This supplemental notice is being sent to correct the numbering of the allowed claims. The previous allowance incorrectly indicated claim 6 as allowed, however claim 6 was a cancelled claim.

**DETAILED ACTION**

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In Claim 1: On line 7, delete "said channel".

***Allowable Subject Matter***

Claims 1-5, 7-9 and 17-19 are allowed.

As to independent claims 1 and 17, no prior art has been found to show or suggest, in the claimed environment, a device or a method for providing a device including a housing comprising a plurality of chambers each including a first well, second well and channel region connecting the first and second well together in such a way that the first well, second well, and channel are formed as through-holes in the top member.

Applicant has argued persuasively that the previously cited Harrison, Jarnigan, Jeon and Springer references utilize channels and chambers that are formed *between* the top and bottom plate, and are thus not formed as through-holes in the top member. Klauke (US 20060003310) and Nikiforov (US 20020048768) also represent relevant prior art, but both of these references also merely disclose channels that are formed *between* the top and bottom plate.

The prior art does not disclose a device for monitoring leukocyte migration that includes a housing comprising a plurality of chambers that each include a first well, a second well, and a channel region between the two wells formed as a through-hole in the top member.

***Double Patenting***

Provisional Obviousness-type Double Patenting rejections over copending U.S. Serial No. 10/688,905 set forth in the previous Office Actions have been withdrawn. The instant application and this copending application were filed on the same date (10/21/03), and the copending application represents the "improvement" because its independent claim contains additional limitations regarding the formation of a dynamic solution concentration gradient along a longitudinal axis. Accordingly, the double patenting rejections over U.S. Serial No. 10/688,905 are withdrawn in accordance with MPEP 1490.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nathan A. Bowers whose telephone number is (571) 272-8613. The examiner can normally be reached on Monday-Friday 8 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

Application/Control Number:  
10/688,904  
Art Unit: 1797

Page 4

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



NAB